



THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

Exploring the theoretical foundations of visual art programmes for people living with dementia

Citation for published version:

Windle, G, Gregory, S, Howson, T, Newman, A, O'Brien, D & Goulding, A 2017, 'Exploring the theoretical foundations of visual art programmes for people living with dementia', *Dementia: The International Journal of Social Research and Practice*. <https://doi.org/10.1177/1471301217726613>

Digital Object Identifier (DOI):

[10.1177/1471301217726613](https://doi.org/10.1177/1471301217726613)

Link:

[Link to publication record in Edinburgh Research Explorer](#)

Document Version:

Publisher's PDF, also known as Version of record

Published In:

Dementia: The International Journal of Social Research and Practice

General rights

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.



Exploring the theoretical foundations of visual art programmes for people living with dementia



Dementia

0(0) 1–26

© The Author(s) 2017

Reprints and permissions:

sagepub.co.uk/journalsPermissions.nav

DOI: 10.1177/1471301217726613

journals.sagepub.com/home/dem



Gill Windle

Dementia Services Development Centre, School of Healthcare Sciences, Bangor University, Wales

Samantha Gregory

School of Psychology, Aston University, England

Teri Howson-Griffiths

Drama Department, Liverpool John Moores University, England

Andrew Newman

School of Arts and Cultures, Newcastle University England

Dave O'Brien

School of History of Art, University of Edinburgh, Scotland

Anna Goulding

School of Social Sciences, University of Manchester, England

Abstract

Despite the growing international innovations for visual arts interventions in dementia care, limited attention has been paid to their theoretical basis. In response, this paper explores how and why visual art interventions in dementia care influence changes in outcomes. The theory building process consists of a realist review of primary research on visual art programmes. This aims to uncover what works, for whom, how, why and in what circumstances. We undertook a

Corresponding author:

Gill Windle, Dementia Services Development Centre, School of Healthcare Sciences, Ardudwy, Holyhead Road, Bangor University, Wales.

Email: g.windle@bangor.ac.uk

qualitative exploration of stakeholder perspectives of art programmes, and then synthesised these two pieces of work alongside broader theory to produce a conceptual framework for intervention development, further research and practice. This suggests effective programmes are realised through essential attributes of two key conditions (provocative and stimulating aesthetic experience; dynamic and responsive artistic practice). These conditions are important for cognitive, social and individual responses, leading to benefits for people with early to more advanced dementia. This work represents a starting point at identifying theories of change for arts interventions, and for further research to critically examine, refine and strengthen the evidence base for the arts in dementia care. Understanding the theoretical basis of interventions is important for service development, evaluation and implementation.

Keywords

creativity, arts and related therapy, dementia, theory, wellbeing

Introduction

Visual arts interventions in dementia care are by their nature ‘complex’ in that they contain several independent and interacting components. As with other psychosocial interventions, these include variations in the skills of those who deliver them, the settings where they take place, the characteristics of the recipient populations, and the content of the activity delivered (Pawson, Greenhalgh, Harvey & Walsh, 2004). This complexity can influence the outcome of the intervention, and raise challenges in understanding the ‘active ingredients’ that bring about changes in outcomes (Medical Research Council; MRC, 2006). Creating effective interventions first requires a strong theoretical understanding of how they may influence changes in outcomes (MRC, 2006). However there has been little exploration of the underlying conditions and theoretical mechanisms through which any benefits of arts activities may occur (Burnside, Knecht, Hopley & Logsdon, 2015; de Medeiros & Basting, 2013; Zeilig et al., 2014). De Medeiros and Basting (2013) conclude that in order to improve research and practice, a better understanding of cultural arts interventions is required, especially in terms of how and why they may lead to positive outcomes.

This is an important area for attention. Critical reviews of arts and health research suggests that participatory art interventions for people living with dementia have the potential to improve a broad range of outcomes. These include well-being, quality of life, cognitive function and communication (de Medeiros & Basting, 2013; Mental Health Foundation, 2011; Salisbury, Windle, & Algar, 2011; Young, Camic & Tischler, 2015; Zellig, Killick & Fox, 2014). However the reviews identify that in many instances the benefits are often insufficient and tentative, especially for the visual arts. This is attributed to design limitations in some studies, but also because ‘the field is still in its infancy’ (Zeilig et al., 2014) and requires further research development.

Of relevance are two recent studies that each developed from qualitative data a grounded theory of how a gallery-based art programme may impact on people with dementia (Burnside et al., 2015; Camic, Baker & Tischler, 2015). These studies provide valuable insights, however there are some limitations. Camic et al. (2015) derive their theory from people with mild to moderate dementia living in the community and able to attend galleries. As they acknowledge, this requires further exploration in different care settings. Burnside

et al. (2015) recognise their theory is limited to people able to attend galleries with early stage dementia and “*a high degree of previous art experience as well as a higher level of education*” (p.40). Consequently both theories have demographic constraints.

Given the growing interest in the arts in dementia care, this paper is a timely contribution towards advancing theoretical understanding. This is important for broader implementation. If policy and practice are to adopt arts approaches into mainstream care, understanding the essential conditions for effective delivery is important. What ‘works’ in one setting may not have the same benefits in other settings.

Aims of this research

Reflecting guidance for developing and evaluating complex interventions (MRC, 2006) we address this gap in knowledge through a theoretical investigation. Given the current uncertainty around definitive outcomes of visual arts programmes (and what caused them), the aim was to explore how visual art interventions might ‘work’ and lead to positive outcomes in people living with dementia at all stages of the condition. We undertook the following phases of work within the timelines of a wider research project to innovate the development of a visual arts intervention for empirical investigation.

1. Drawing on aspects of realist methodology, papers and reports presenting primary data were examined for theoretical clues about how and why visual arts programmes might have good outcomes. The synthesis developed and tested a preliminary programme theory, producing an exploratory account of how visual arts interventions might ‘work’.
2. A qualitative exploration of stakeholders’ perspectives (service providers, arts practitioners, people living with dementia and their carers using arts programmes), regarding aspects they felt contributed to the success (or otherwise) of their visual arts programme.
3. An overarching synthesis of the previous two pieces of work, integrated with broader theory, producing a conceptual model of the key features for understanding visual art programmes, suggesting the foundations for excellent practice.

Methods

Part I - realist synthesis

A peer-reviewed protocol for this work is publicly available, providing a detailed account of the methodology for conducting the synthesis (Windle et al., 2014). This method involves scrutinising the theoretical foundations of an intervention, exploring how contexts (the circumstances/conditions that enable or constrain) affect outcomes through the activation of mechanisms (e.g. Pawson et al., 2004). Our realist inquiry was informed by the approaches of Pawson et al. (2004) and Rycroft-Malone et al. (2012) and involved scoping the review, searching and appraising the evidence, extracting and synthesising findings. To avoid repetition in this paper, Supplementary File 1 summarises some key aspects for clarification, recognising that this approach, whilst growing in popularity may be new to readers of this article. We also report any changes and additional details not reported in the original protocol, including updates to the searches.

As realist review methodology is an emerging field, there is a lack of consensus about how initial programme theories should be expressed (Pearson et al., 2015). After a number of

discussions within the research team, we initially operationalised our programme theory to identify key features of two contextual factors/conditions hypothesised as important ingredients for intervention development. 1) Dynamic and responsive artistic practice (by whom and how) and 2) a provocative and stimulating aesthetic experience (where, what and how) for people living with dementia (for whom) triggers the mechanisms (why) that lead to (outcomes) well-being, quality of life and social connectedness (Windle et al., 2014). We then sought to test and augment this preliminary programme theory with published research.

Results

Characteristics of included studies

Figure 1 presents the review process. Table 1 describes eighteen journal articles and five grey reports included in the final synthesis. All tended to be small and exploratory, using social science data collection methods (e.g. qualitative, quantitative and observational approaches), including mixed-methods. In some studies data were collected from more than one source (e.g. professional/family carers, artists/facilitators, people living with dementia).

A challenge for this synthesis was the design and reporting of some of the included studies. Methodological limitations and different approaches can lead to variations in outcomes. Whilst a realist synthesis does not consider the quality of the research as in a systematic review (the focus is on theory building, not definitive statements of effectiveness) rigour is an important consideration when drawing conclusions for the programme theory. Our appraisal considered a) the study design and sampling, b) whether the data collection and analysis were appropriate enough to ensure confidence in the findings, c) if authors recognised the limitations of the study designs; d) was the evidence is clear/insightful, e.g. did the authors' interpretations reflect the reported data; were alternative explanations/interpretations suggested. For information, Supplementary File 2 summarises the comments on the rigour of the included studies. Some have design and reporting limitations that future research could attempt to rectify. Others were small but well-conducted exploratory studies delivered in galleries, museums and care settings, but are limited by the demographic profile of the participants. All generated theoretical inferences for refining the preliminary programme theory.

For whom?

Table 1 presents the demographic details (where it was available). The studies all tended to focus on older adults, with Camic et al. (2013) reporting a younger participant aged fifty-eight. Reports of dementia severity varied from mild, early stage through to moderate and severe. However reports were not always supported by data, e.g. an assessment on a measure of cognitive function. Ten studies did not report any cognitive functioning scores, and of these Roe et al. (2014) did not collect demographic data. Only three studies reported on ethnicity and three on either occupational status or education level. The grey literature tended to omit some demographic details.




Figure 1. Flow chart of sources through the review

Outcomes

Across the included studies, four main outcome areas were reported; 1) social connectedness; 2) well-being, including pleasure, enjoyment, quality of life; 3) changes in public perceptions and attitudes; 4) cognitive processes (subjective memory, verbal fluency). The latter two added to our initial conceptualisation of the programme theory. Only one study used validated quantitative outcome measures, but did not find significant outcomes, possibly because the study was under-powered by the small sample size (Camic, Tischler & Pearman, 2013). Others reported using validated measures of cognitive function (Eekelaar,

Table 1. Characteristics of studies and reports included in the synthesis

Reference	Study Design (N)	Intervention (delivered by)	Setting	Level of impairment
Adams, M. and Cotter, M. (2011).	This report summarises the activities of 66 museums inspired by MoMA. These varied in content but mainly involved looking at art (93%); discussing art (93%); socialising before (78%); touching objects (53%); making art (44%). No demographic details reported.	Art viewing. Delivered by gallery and museum staff.	Museum and galleries	Majority targeting mild to moderate
Brownell, C. A. (2008).	Quasi-experimental (active control and intervention group); behavioural. Data collected at 4 x monthly time points. Post intervention focus group with students. Page 7 says n = 37; page 8 says n = 40 participants (36 female, 4 male). Author does not say how many did all 4 sessions.	Art making. 1 x 45 mins x 4 sessions. Delivered by students the high school; art teacher support. Care home recreational therapist and 1-2 care assistants attended the art sessions.	Residential care home (dining room)	Moderate to severe
Burnside, L.D., Knecht, M. J., Hopley, E. K., (2015).	Qualitative grounded theory analysis of post-intervention interviews. N = 21 carers and N = 13 people with dementia (mean age=76, 48% male; 48% post graduate; one African American dyad, the rest were white).	Art viewing and making programme (7 gallery tours and three art making classes). Delivered by museum educator and artist trained in working with people living with dementia.	Museum	Early stage (CDR scores 0.5 – 2.0)
Byrne, L. and MacKinlay, E. (2012).	Qualitative/exploratory; RA observation journal; post session discussion between RA and facilitator; participants self-ratings of emotions (not presented)	Art making; 1 hour per week for 18 weeks Delivered by chaplains or pastoral carers.	Residential care facility	Not reported (suggests moderate to severe)

(continued)

Table 1. Continued

Reference	Study Design (N)	Intervention (delivered by)	Setting	Level of impairment
Camic, P., Tischler, V. and Pearman, C. H. (2013).	N = 11 PWD; no further details reported. Mixed methods exploratory pre and post design with quantitative outcome measures and semi-structured interviews. N = 24 dyads; PWD age between 58-94; m = 78.3. 17 white/British; 4 white/European; 2 British Asian; 1 black British. No information on SES.	Viewing and making art; 2 hours per week for 8 weeks. Delivered by a professional art educator and an experienced artist.	Gallery	Mild to moderate (MMSE scores reported)
Camic, P., Baker, E. and Tischler, V. (2015).	This is another interpretation of the data in Camic et al (2013). It uses grounded theory methodology to theorize how gallery-based interventions affect people with dementia and those who care for them.	As above	As above	As above
Eekelaar, C., Camic, P. M., & Springham, N. (2012).	Exploratory pre and post mixed methods; participants audio recorded at the gallery sessions, pre and post interviews; N = 6 carer; N = 6 people with dementia - 3 male and 3 female; mean age 78.67 (68-91).	Viewing and making art; 1 x 90 minute session per week for 3 weeks. Delivered by a gallery educator with knowledge of the gallery's collections, and an experienced art therapist.	Gallery	Mild to moderate MMSE from 18-24 (M=21.67).
Flatt, J. D., Liptak, A., Oakley, M. A., Gogan, J., Varner, T., & Lingler, J. H. (2014).	Exploratory; cross-sectional satisfaction survey, qualitative focus group. N = 10; 50% female, 7 caucasian and 3 African American.	Viewing and making art; 1 x 3 hour session of art viewing and making (they delivered 4 sessions in total). Delivered by trained facilitators from the museum	Art museum /gallery	Early stage AD or related cognitive disorders (data not reported)

(continued)

Table 1. Continued

Reference	Study Design (N)	Intervention (delivered by)	Setting	Level of impairment
Gould, V. F. (2013).	Service evaluation of different art projects. Each project hosted an average of 6 people with dementia and 6 carers. Average age=77 (66-91). For the visual arts aspect N = 42 PWD; N = 39 carers. 55% female.	7 visual arts projects, ranging from 3-10 weeks duration and 40 mins to half day. Delivered by professional artists with volunteers supporting.	Museums and galleries.	81% were early stage (the target of the project)
Gregory and Windle (2013).	Evaluation of a 10 week programme of art sessions. Article focusses on the intergenerational aspect. N = 5 people with dementia, 3 female/5 males; N = 15 children age 9-10 years).	Art viewing and making; 2 hours per week for 10 weeks (article based on one session).	Art gallery/craft centre	Mild to moderate
Gross, S. M., Danilova, D., Vandehey, M. and George M. Diekhoff. (2013).	Within subjects repeated measures design, observing well-being at the beginning, middle and end of a 12-week programme compared to usual activity N = 76; majority (63) females; mean age =84.28; 43% completed high school, 30% had some college education; 26% missing data.	Art making; 12 x 1 hour sessions per week. Delivered by professional artists.	Residential care setting	Moderate to severe
Hazzan, A. A., Humphrey, J., Kilgour-Walsh, L., et al. (2016).	Qualitative pilot study. Coding of comments made during observation of art sessions and questionnaires from carers. N = 8 men, varying education levels.	Art viewing and art making; 27 x weekly 2 hour sessions. Delivered by gallery staff.	Hospital in-patients.	Moderate to severe
Johnson, J., Culverwell, A., Hulbert, S., Robertson, M., Camic. P. (2015).	A one-time crossover design with 3 conditions; 1) museum object handling 2) a refreshment break 3) art viewing in small groups.	Art viewing and object handling with a tea break. A one-time activity, delivered 11 times (not repeated	Gallery	Mild to moderate (data not reported, but participants

(continued)

Table 1. Continued

Reference	Study Design (N)	Intervention (delivered by)	Setting	Level of impairment
	Visual analogue scales were used to rate subjective wellbeing pre and post each activity. N = 36 with dementia (25 male/11 female; mean age=74, range 58-85). N = 30 carers; (4 male/26 female; mean age=66, range 48-83)	measures). Delivered by a 'facilitator' (no details on their characteristics).		recruited from a post-diagnosis NHS memory clinic group).
Kinney, J. M., & Rentz, C. A. (2005).	Within subjects repeated measures design with a comparison condition. N = 12 as 6 from each setting; 5 men and 7 women, age range from 65-85; 5 African American, 7 white; equal number of blue collar workers and professionals (p.223).	Art Making: 5 x 1 hour sessions per week. Delivered by a 'facilitator' (no details on their characteristics).	2 adult day centres (1 in the community, 1 in a retirement complex).	No scores reported (paper suggests mild to moderate)
MacPherson, S., Bird, M., Anderson, K., Davis, T., & Blair, A. (2009).	Mixed methods; observation at two time points, qualitative programme focus groups. N = 15 people with dementia as 7 still living at home mean age=70.8 (56-80); 8 living in residential care mean age =86.6 (80-93).	Art viewing: 45 mins - 1 hour session per week x 6 weeks. Delivered by gallery staff (described as 'educators').	Gallery	CDR scores of mild, moderate and severe
Malin, E. (2011).	Mixed-methods evaluation of engage Cymru galleries programme from 4 different areas in Wales (observation, photographs, interviews). N = 44	Art viewing and making: up to 10 sessions as 2 hours per week. Delivered by professional artists.	Community and gallery	Not reported, suggest mild/early stage.

(continued)

Table 1. Continued

Reference	Study Design (N)	Intervention (delivered by)	Setting	Level of impairment
Mittleman, M. and Epstein, C. (2009).	Mixed methods evaluation of the Meet Me at MoMA gallery programme; Pre and post session self-rating scales of family relationships, self-esteem and Quality of life; a smiley faces assessment scale; artist observations; take-home evaluation. N = 37 people with dementia and N = 37 carers. Majority highly educated, 67.6% female.	Art viewing; 2 x weekly sessions of 1.5 hours, 1 session 3 months later. Delivered by gallery staff.	Museum of Modern Art	Early stage
Mangione, G. (2013).	Design: ethnographic framework (informal conversations; meetings, formal observations of the museum activities) and in-depth interviews. N = 35 as 13 museum personnel; 5 external personnel; 7 carer/giver interviews, and 5 carer/patient dyads; no further demographics.	Art viewing (no details on how long this was delivered for the purpose of this paper). Delivered by museum art educators.	Art museum	No demographic details are reported.
Rentz, C. A. (2002).	Behavioural observation of well-being as 1 session in each setting. N = 41.	Art making; 1 session in each setting. Delivered by skilled facilitators (no details on their characteristics).	4 adults day programmes, 1 assisted living site, 1 day centre Museum	Not reported – paper suggests diagnosis of dementia Not reported.
Roe, B., McCormick, S., Lucas, T., Gallagher, W., Win, A., & Elkin, S. (2014)	Service evaluation; non-participant observation, field notes, one-month post group interview with gallery and museum staff and a supported living project worker. N = 9 care-home residents and	A mixture of different activities delivered as art viewing and/or making; 6 x 2 hour sessions (1 per month over 6 months).		

(continued)

Table 1. Continued

Reference	Study Design (N)	Intervention (delivered by)	Setting	Level of impairment
Sauer, P. E., Fopma-Loy, J., Kinney, J., & Lokon, E. (2014).	n = 8 supported living residents; n = 11 carers. Within-subjects repeated measures observation of well-being with comparison condition (N = 38).	Delivered by gallery staff and artists. Viewing and making; 60 min weekly art sessions for 12 weeks. Delivered by trained student volunteers.	Not described (suggested care facility)	Not reported (suggested moderate to severe)
Ullán, A. M., Belver, M. H., Badía, M., Moreno, C., Garrido, E., Gómez-Isla, J., Tejedor, L. (2013).	Qualitative exploration (participant observation; post session assessment by the educators; focus groups with participants and artists; focus group with professional caregivers N = 21; 13 female age between 67-93.	Art viewing and making; as 5 workshops delivered over a 4 month period. The workshops were carried out in one or two sessions with a variable duration between 60 and 90 minutes (the maximum number of sessions was 22). No information about how many times the person was expected to attend. Delivered by artistic educators.	State day centre (Spain)	Mild to moderate (MMSE 12-27).
Young, R., Tischler, V., Hulbert, S., & Camic, P. M. (2015).	Analysis of verbal interactions, audio-recorded during two, 8-week interventions. N = 13; 11 females age range from 60-94.	Viewing and making; 8 x 2 hours per week. Delivered by an artist educator.	Gallery	No scores reported (suggested mild to moderate)

Camic & Springham, 2012; Young, Tischler, Hubert & Camic, 2015), depression (Byrne & Mackinlay, 2012) and affect and engagement (Hazzan et al., 2016), but did not present data. Some used post-session questionnaires to ascertain satisfaction (e.g. Flatt, Liptak, Oakley, Gogan, Varner & Lingler, 2014) and experiences of taking part (Johnson, Culverwell, Hulbert, Robertson, & Camic, 2015) and reported positive outcomes. Quantitative content analysis of audio recordings was applied in two studies (Eekelaar et al., 2012; Young et al., 2015) tentatively suggesting improvements in cognitive aspects.

Behavioural observation captured changes in well-being (Kinney & Rentz, 2005; Gross et al., 2013; Rentz, 2002; Sauer, Fopma-Loy, Kinney, & Lokon, 2014) and in engagement (MacPherson, Bird, Anderson, Davis & Blair, 2009). Roe et al. (2014) took a more subjective, ethnographic approach with their observation, qualitatively analysing the researcher's fieldwork notes from the arts sessions, as did Huzzan et al. (2016). Ullan et al. (2013) analysed written notes and photographic records of the arts sessions. In this synthesis, some of the deeper insights into the outcomes (and mechanisms) come from qualitative findings (e.g. Burnside et al., 2015; Camic et al., 2013; 2015; Flatt et al., 2014; MacPherson et al., 2009; Mangione et al., 2013; Ullan et al., 2013; Huzzan et al., 2016).

Interventions

The visual arts interventions consisted of either 1) art making/visual art production only; 2) viewing and discussing art, also described as art appreciation; 3) a combination of both 1 and 2. The art interventions reflected two distinct settings for delivery; shared public environments (museums and galleries), or specialist dementia care facilities (day centres, residential care homes). Generally, the public environments hosted people at the early to moderate stage, whilst the specialist care environments reflected people described as moderate to severe. The exceptions were Macpherson et al., (2009; people with mild to severe in a gallery) and Hazzan et al., (2016; people with moderate to severe in a combination of gallery and in-patient ward).

Contextual factor 1: the role of the artists and facilitators

A key contextual feature underpinning good outcomes was the programme deliverers (variously described as art educators, gallery staff, or artists) were not only knowledgeable about art and artistic practice but they also had knowledge and expertise about living with dementia, the latter often provided through specific training from a professional organisation or clinical members of the research team. MacPherson et al. (2009) reported that throughout the duration of the research, a member of the research team provided clinical advice to gallery staff. Huzzan et al. (2016) also describe a further exchange of skills, with gallery staff providing training in art appreciation and art-making to clinical staff in the care facility.

This combination of arts and dementia skills were important for skilled facilitation. Skilled facilitators adopted a perspective of seeing the potential of what could be achieved as opposed to what had been lost, understanding and allowing for individual needs and abilities yet guiding and supporting when necessary. These included “*patience, less intellectual and more sensual approaches, less talking and leading and more listening, slowing down the educating process, and not being frightened of the silence*” (Macpherson et al., 2009, p.751). They embedded a multi-sensory experience within the art activity. In a gallery setting, educators used ‘visual thinking strategies’ to facilitate discussion and communication,

not relying on short-term memory or factual recall of information (e.g. Burnside et al., 2015). This triggered learning new skills (Camic et al, 2013; Flatt et al., 2014; Ullan et al., 2013) knowledge seeking (Eeklaar et al., 2012), engagement (Burnside et al., 2015), reminiscence (Flatt et al., 2014; Gross et al., 2014); thinking and learning (MacPherson et al., 2009). This context-mechanism combination appeared important for well-being outcomes at all stages of dementia, including advanced stages, irrespective of the type of intervention delivered. Skilled facilitation also appeared important for the outcomes of cognitive process and social connectedness, however the current data only support this for people in early stages of dementia.

Two studies provided further support for outcomes being contingent on appropriate contextual attributes. Sessions delivered by high school art students (Brownell, 2008) and chaplains or pastoral carers (Byrne & McKinlay, 2012) suggested a lack of facilitation expertise and understanding of dementia. In the latter the facilitator regularly engaged in engaged conversation with the staff, but less with the participants. Consequently the data suggest that the attributes of dynamic and responsive artistic practice is a contextual factor that underpins the success of a visual arts programme.

Contextual factor 2: Provocative and stimulating aesthetic experience

A key feature of programmes delivered through galleries and museums may be the visual appeal of the environment, and in all the studies delivered in these settings, original artworks were utilised for the art viewing and discussion. The experience is multi-sensory. Camic et al. (2015) suggested that a gallery, open to the public at the same time, enabled an intellectually stimulating learning experience, social interaction, increases in confidence and support for carers, which led to enjoyment, changes in the perceptions of dementia from carers and facilitators, and continued connections with the gallery. Such community settings can enable participants to interact socially not just with each other, but also with the general public. Roe et al. (2014) suggested that an intervention in a gallery setting is an opportunity for participants to be in the ‘real world’, or a protected space which is “*less about the illness*” (Flatt et al., 2014, p.9). One study showed how the gallery experience could be taken into a specialist dementia care setting, with a museum collection being viewed digitally via a laptop and projector, followed by an art-making process (Ullan et al., 2013).

When visual art programmes were designed to be ‘failure-free’, using good quality, age appropriate materials that maximised the residual capacities of the participants, they were able to trigger positive psychological processes in people living with dementia. These included autonomy, mastery and pride (Flatt et al., 2014) confidence (Camic et al., 2015; Malin, 2011) and improved confidence in own skills and abilities; “*I didn’t think I could learn things like this at this point*” (Ullan et al., 2011, p.436). All the art viewing and discussion programmes sought to facilitate imaginative and emotional responses without the participants needing any previous knowledge of art. These programmes tended not to emphasise reliance on hard to recall memories, and focussed more on just ‘being in the moment’ (Burnside et al., 2015). Malin (2011, p.23) described the intellectual challenge and achievement, and the “*quality of silence*”, reflecting the way people were immersed in the task.

In contrast, one of the art-making programmes (Memories in the Making) delivered in three studies (Kinney & Rentz, 2005; Rent, 2002; Gross et al., 2013) explicitly encouraged to talk about memories the paintings stirred, with some well-being outcomes captured. Others,

although not focussing on reminiscence for memory, suggested that participants recalled some memories. This may be understood through the mechanisms of companionship and interaction (Camic et al., 2013); social contact and communication (Eeklaar et al., 2012), bonding with others (Flatt et al., 2014), and engagement, social interaction and discussion of ideas (MacPherson et al., 2009).

In some studies, carers also took part in the arts programme alongside the people with dementia. This alternative to the task-focussed aspect of caring appeared to be an important contextual factor, triggering quality time together and carer-patient social interactions, subsequently improving social connectedness and enjoyment (e.g. Camic et al., 2013; Eeklaar et al., 2012; Flatt et al., 2014). Hazzan et al. (2016) suggested that the carers' involvement in the group was important for the participants (who had severe dementia) as it facilitated communication and meaningful relationships, enabling them to see the creative side of the person with dementia and reduce their levels of stress. In contrast MacPherson et al. (2009, p.750) - perhaps because they were explicitly seeking to challenge notions of excess disability - reported how *'the presence of carers impacted on participants, noticing that outside of the group context some participants became less confident in their opinions and actions'*. This was improved by asking the carers to sit out of sight of the participants, which enabled interactions between the artworks, the educator and each other, leading to high levels of engagement and enjoyment.

Four studies reported outcomes for those facilitating the arts interventions. Student volunteers interacting with care home residents developed a deeper understanding of dementia and improved confidence, which led to positive attitude changes about older adults (Brownell, 2008). Facilitators and artists developed a deep insight into dementia and increases in confidence, leading to different perspective of the condition, despite initial apprehensions (MacPherson et al., 2009), and gained new insights into the abilities and challenges of people living with dementia (Gould, 2012). Schoolchildren age 9-10 years old all changed their perceptions after an art-making session with people living with dementia. *"Just because the people that you'll be working with have dementia it doesn't mean they're gonna be totally different 'cause they're really nice and kind...as you meet them you just forget they have dementia, 'cause they're so...normal"* (Gregory & Windle, 2013, p.25).

Summary of synthesis

Testing the preliminary programme theory found some support for the key contextual attributes. We revealed that these conditions generated cognitive, social and psychological responses. In turn, these led to the outcomes of social connectedness; well-being (including pleasure, enjoyment, quality of life); changes in public perceptions and attitudes and cognitive processes. In relation to 'dynamic and responsive artistic practice' the review suggested some of the necessary characteristics of the practitioner (by whom) and details of skilled facilitation and delivery (how). In relation to 'provocative and stimulating aesthetic experience' our analysis suggested 'what' was delivered, and 'how' it was delivered, were important. It was less clear from this exploration whether one type of venue (where) may be more stimulating than another. Whilst one aspect of dementia are changes in cognition, the other is how this influences, and is influenced by the social environment. The gallery and museum as a 'valued place' (Camic et al., 2015) or 'special place' (Burnside et al., 2015) is an intriguing proposal, and further research could explore the extent to which care settings can be transformed to reflect such inspirational environments. As an example, Basting, Towie

and Rose (2016) described how they enacted a depiction of *The Odyssey* in the day-to-day running of care facility. This engaged residents, staff and family members in a uniquely creative way to improve quality of life, showing how the arts can transform environments.

The next step in this theory building exercise explores stakeholder experiences of visual art programmes, and then develops the final overarching synthesis, including substantive theory into the model. Following that, the strengths and weaknesses are considered in the discussion.

Methods

Part 2 –Stakeholder perspectives

Over a three-month period, self-reported qualitative data were obtained. This explored experiences of taking part and delivering visual art programmes, what people felt were the elements of a good programme, what they thought worked well and was beneficial, and what they felt should not be done. A call for responses was initially distributed using a snowball sampling approach through the research team's networks and email distribution lists. The target group were stakeholders with experience of either delivering or taking part in visual art programmes. Participants were invited to submit their responses into either a bespoke online or paper copy document. This contained a short explanation of the purpose of the work, with requests to recipients to circulate. The university's research ethics committee approved the work. Taking approximately 15 minutes to complete, it explained why we sought their input, their rights as research participants, including assurances regarding data protection, and their consent to participate. It was designed to be simple and understood by all, including those with early stage dementia.

Analysis

Responses were analysed independently by two researchers (TH and SG) using thematic analysis (Braun & Clarke, 2006). This consisted of a detailed reading and annotation of the responses, followed by inductive coding and theming from the text to capture patterns in the stakeholder's experiences of visual art programmes for people with dementia. This was an iterative process with refinements on coding and themes reached through ongoing discussion. To avoid unnecessary bias, both researchers did not work on the data extraction and synthesis in phase 1.

Results

Thirty-seven people responded to the survey (6 male, 26 female, 5 not reported). These described themselves as health professionals (n = 2); artist/facilitators (n = 13); service providers (n = 6); academic/clinical (n = 1); carers (n = 5); people living with dementia (n = 5), and one person with mental health difficulties. Four respondents described themselves as both a service provider and an assistant facilitator. The majority of responses came from England (18) and Wales (16) with two from America and one from Australia. In view of the resources and timescale for this phase of work, we aimed for a broad range of responses from a diverse range of expertise in different geographical localities. Whilst we had some success, the unequal balance of respondent characteristics indicate that further themes could

emerge with more data from different stakeholder groups, however a qualitative comparison study was beyond the remit of this phase of the work. However the findings are relevant for theoretical development and informing the conceptual model.

Stakeholder perspectives

Results of the thematic analysis of the stakeholder perspectives are presented in Table 2, along with example quotes. In summary, stakeholders emphasised treating the person living with dementia as a capable individual and allowing them freedom of expression. They suggested programmes should be flexible and include different arts activities and skills, both challenging and stimulating to the participant, with good quality, adult-appropriate materials that are inspiring and engaging. Professional artists may have unique expertise to benefit participants. A careful balance is required for people with dementia in terms of support, but also independence to develop and work at their own pace. People with dementia and carers valued the opportunity to work ‘alongside people in a similar situation’.

Logistics were a theme from this analysis. Similarly, some of the papers and reports contained suggestions regarding organising art programmes for people with dementia. It was unclear as to whether these aspects had any influence on the mechanisms and outcomes, but as they provide useful suggestions for planning and implementing services, these are further summarised in Supplementary File 1.

Part 3 - Overarching synthesis and conceptual framework. The first phase of this work uncovered a number of contextual attributes which if in place generated cognitive, social and individual responses leading to beneficial outcomes. The second phase sought first-hand accounts from stakeholders, and this final synthesis examines whether the themes from their qualitative accounts corroborate, enhance or refute the realist programme theory.

There was considerable corroboration between the qualitative data and the realist programme theory, in particular the qualitative data emphasised and augmented the importance of the programme content and the qualities of those delivering the programme, providing further accounts of the key attributes of the quality of the experience and artistic practice. Differences were apparent in terms of outcomes. The research tended to focus on improvements or change, whereas the qualitative accounts from the survey placed little or no importance on whether well-being or memory improvement should be, or was achieved, but there were clear expressions of enjoyment. The qualitative data enhanced evidence for the outcome of social connectedness, with the public celebration of achievements being an important way for bringing people together.

In terms of the severity of dementia, the qualitative data does not elaborate on this characteristic. Most (but not all) of the research literature describe the severity in their samples. However whether early or late stage, there is a general sense of the benefits, and it is not possible from this evidence base to say that a certain programme might be less effective according to the level of dementia.

A further important aspect of a realist approach to theory building is to test the coherence of the programme theory by drawing on broader, formal theories to elucidate further understanding of the context-mechanism-outcome relationships (Wong, Westhorp, Pawson & Greenhalgh, 2013). As the synthesis progressed, three broader theories (cognitive stimulation, resilience and person-centred care) provided additional explanation for the cognitive, social and psychological mechanisms (‘why’) which may arise from the interplay between

Table 2. Qualitative analysis of stakeholder perspectives of the features important for an effective visual arts programme

Theme	Sub-themes	Illustrative quotes
Valuing the individual living with dementia	Autonomy Accommodating to participant's abilities and individual needs Empathy, never patronising, 'being spoken down to' or 'treated like children' Celebration of achievements Inclusivity and age appropriateness of activity Treatment of individuals, not their condition	<i>"Empathy is everything, meet the person you are working with as a valuable individual, regardless of their ability or cognitive capacity"</i> (artist facilitator, male). <i>"[Bad practice when] people with dementia are patronised [need for] seeing all of us as being involved in learning processes throughout our lives"</i> (service provider, female). <i>[It is bad] to make negative assumptions that the participant will not be able to do something due to their illness – we need to follow the lead of the individual participant and offer appropriate support and guidance tailored to their individual needs"</i> (Female, artist/facilitator).
Stimulating and enjoyable activity	Avoiding factual questions approaching the art work in a 'sensory experiential' way. Activity is educational and enriching, enjoyable and fun Provides 'stimulation', enabling discussion 'in the moment' Use of a variety of quality materials Activity should be flexible to individual ability and inclusive. Balancing between process and outcomes	<i>"Best when a balance of achievement, enjoyment and recognition of personal learning by participants"</i> (artist facilitator, male) <i>"This time I have tried felting for the first time and have also painted tiles"</i> (person living with dementia, male) <i>"Enjoyed varieties of craft work which were completely new to me"</i> (carer, female) <i>We have ideas to start from, then time to use our own imagination"</i> (female living with dementia).
Service providers and carers supporting the experience	Carers and facilitators should avoid 'taking over' Help and assist to an appropriate degree where required Don't overlook or ignore those perceived as more capable Providers and support staff should be trained to work within this setting Supporting family carers to enjoy and relax where attending together	<i>"Ability of the artists to create a sense of excitement and anticipation in potential participants"</i> (health professional, female) <i>"Family carer there to take part in their own right, chance to see their partners in a different light and to interact with other carers"</i> (artist facilitator, female)

(continued)

Table 2. Continued

Theme	Sub-themes	Illustrative quotes
The qualities of the artist	Training, experience and awareness of the needs of people living with dementia	<i>'Listening, never forcing, encouraging participants, allowing participants to watch, to be part of the group, even if they don't wish to join in today'. (Female, artist/facilitator).</i>
	Being reflexive and responsive to participants	<i>Having enthusiastic and encouraging artists skilled in this area. . . praise is VERY important" (carer, female)</i>
	Artistic skills could be shared with others (e.g. care staff) but professional artists may underpin a 'quality' experience.	<i>"Facilitators have to be [. . .] the energy and compassion in the room, this role is not for everyone" (artist facilitator, male)</i>
	Qualities include compassion, enthusiasm, passion, inspiring and a sense of humour.	<i>"Our artist, gives us ideas and help and let us think for ourselves" (person living with dementia, female)</i>
	Sensitive to the 'energy' levels of participants	<i>"Meeting others with similar problems" (carer, female)</i>
Creating social connections	Enhance relationship quality	<i>"It is important at the end to have the final show/presentation as this draws the project to a conclusion" (service provider and support facilitator)</i>
	Celebration of achievements through exhibition	<i>"Long running projects are important for continued confidence" (artist facilitator, female)</i>
	Meeting other people, sharing	<i>"We had a group of children from school to work with us and it became very successful. We enjoyed helping the children" (female living with dementia).</i>
	Value of community engagement	<i>"Venue - must be easy to get to with right facilities - parking/disabled toilets/tea and cake" (service provider, female)</i>
	Legacy and continuity	<i>"Good liaison before project & throughout project, between project coordinator/artist or facilitator, manager of venue" (artist facilitator, female)</i>
Logistics	Accessible venue	<i>"Who is going to do what; do you have to remind carers; what's your contingency plan? You must work this out with carers/staff beforehand" (researcher, male)</i>
	An appropriate 'bright and roomy' and 'comfortable space' working space	
	Manage background noise effectively	
	Use a separate room if in a care setting	
	Advanced planning	

the contexts ‘(by whom’ and ‘how’) and their impact on outcomes. These are particularly relevant as they also underpin practice delivery initiatives.

Cognitive stimulation

Cognitive stimulation is a form of ‘mental exercise’ and a psychosocial treatment for people with dementia where a number of enjoyable activities provide general stimulation for thinking, concentration and memory, usually in a social setting, such as a small group. Cognitive stimulation may be a key aspect of visual art programmes, as there is congruence between the ‘guiding principles’ of cognitive stimulation, as described by Aguirre et al., (2011) and the attributes of the two contextual aspects of art programmes uncovered in this work.

Resilience

Resilience describes how people manage to have good outcomes despite significant difficulty. Achieving resilience is contingent upon protective factors that operate at the level of the individual (e.g. psychological resources) social (family and friends, participation) and wider society, such as services and environments (Windle, 2011). The synthesis demonstrates a number of resilience aspects. First, people living with a significant challenge to their lives – dementia - reported positive outcomes. Second, this can be understood by considering the interplay between the contextual factors and the reactions they triggered. These included autonomy, mastery and pride, (Flatt et al., 2014) confidence (Camic et al., 2015) and improved confidence in own skills and abilities (Ullan et al., 2013). The interplay between the contexts and psychological resources provided resilience for adaptation and a positive outcome.

Person-centred care

One of the major influences of dementia care is Kitwood’s theory of person-centred care (1997), where well-being is a direct result of the quality of relationships between people with dementia and those around them. There is an interdependency between the quality of the care environment and the quality of life experienced by people with dementia. Of relevance are suggestions of twelve positive interactions that are theorised to underpin good dementia care (Kitwood, 1997). These are particularly appropriate for creative arts programmes as they corroborate and augment the necessary conditions (provocative and stimulating aesthetic experience; dynamic and responsive artistic practice) triggering the mechanisms that lead to outcomes (see Figure 2).

Given the growing interest in the arts for dementia care, recognising that many people will be developing their skills and practice, our findings can be summarised into a conceptual framework for intervention and further research. This suggests the essential attributes of the conditions and processes for improving outcomes of visual arts programmes for people living with dementia, which reflect a cognitively stimulating, person-centred activity (Figure 2).

Discussion

This paper explored the theoretical foundations of visual art programmes for people living with dementia, drawing on published research and reports, stakeholders’ experiences, and




Figure 2. Conceptual model of how visual art programmes may ‘work’

reflecting these within broader theoretical perspectives. Bringing these sources together makes a distinctive contribution to a current gap in knowledge about how and why arts interventions may lead to positive outcomes. The emerging theory and conceptual model reveal evidence of the attributes of two key conditions (provocative and stimulating aesthetic experience; dynamic and responsive artistic practice) that could underpin effective programmes in any given setting. These conditions were important for a number of cognitive, social and individual responses, which led to improvements in well-being, cognitive processes and social connectedness for people with early to more advanced dementia. More broadly, improved perceptions of dementia were found within the wider social networks of people living with dementia. The theories of cognitive stimulation, resilience and person-centred care further explain how and why visual art programmes may ‘work’.

Strengths and limitations

Identifying and understanding the theoretical basis of interventions is important for service development, definitive tests of effectiveness and implementation (MRC, 2006). If the underpinning theory is incorrect, then the desired changes will not occur (Astbury & Leeuw, 2010). We have used this exploratory work to inform the development of a visual arts programme to benefit well-being, quality of life and social connections of people living with all stages of dementia. This has been subjected to testing within a mixed-methods longitudinal framework, and adapted into a guide for practitioners and service providers who may wish to deliver similar projects (Parkinson, Windle & Taylor, 2017). Further work will seek to implement this into practice, along with ongoing iterations and refinements. To our knowledge, this work represents the first use of realist methodology in arts and science

research to inform intervention development, and contributes to an emerging field in evidence review.

The initial theorising was undertaken by a multi-disciplinary team (arts, humanities, social sciences). We acknowledge that another review team may have made different judgements about the conceptual model. Whilst we have followed realist inquiry, we are aware this is a subjective, qualitative approach and we may have overlooked other relevant theories. However this work is exploratory and we do not propose it as a definitive theory. Other theoretical approaches to understanding how visual arts programmes impact on well-being could be suggested in the future, particularly as the arts and health literature develops. Nevertheless, this model could serve as a first point of reference upon which other work could build.

A further limitation and important caveat is the synthesis can only reflect the evidence from which it is derived. For some of the included studies and reports, there were methodological limitations. Most papers tended to report little information about the practitioners, limiting the inferences drawn about this contextual factor. There was variable reporting of the intervention content. This was previously identified as a wider problem common to non-pharmacological interventions, which led to the development of a template for intervention description and replication to assist clarity in reporting interventions (Hoffman et al., 2014). We suggest future studies could utilise this template to guide their reporting. This will be of benefit to service providers who may wish to adopt a similar programme, and researchers who wish to critically examine primary research.

We sought a range of stakeholder experiences, including people living with dementia as well as carers, artists and service providers, both as users and providers of art services, using a snowballing method to seek responses. A strength of the methods used to obtain stakeholder perspectives was there were no interactions with participants to influence their answers. However the sampling does not permit a calculation of the response rate, consequently there may be other contradictory opinions we have not captured. Despite best efforts with requests, including sending reminders, the responses favour artists and organisers reflections on practice, with less from service recipients (N = 5 people with dementia and N = 5 carers). Nevertheless synthesising secondary sources with primary data adds to the current theorising around of how visual art programmes might be effective.

Implications for practice

Camic et al. (2015) discuss whether a gallery setting, considered a 'valued place' in their qualitative exploration of a gallery-based project, is a different experience and so has a different impact compared to other settings. Our synthesis could not draw any definitive distinctions between settings (shared public spaces or specialist dementia care facilities), or in terms of outcomes, largely due to the lack of literature. However the better conducted studies were either delivered within a gallery (e.g. Burnside et al., 2015; Camic et al., 2013; MacPherson et al., 2009) or reflected a gallery programme in care settings (e.g. Ullan et al., 2013). Art museums and cultural venues have considerable potential for public health promotion, however with the exception of MacPherson et al. (2009) and Hazzan et al. (2016) there is little evidence of galleries being used in a public health context for people who may be more severely impaired. These studies indicate the possibilities, and an area for further development.

There are also opportunities for museums and arts organisations, with their collections and skilled staff, to deliver the 'gallery experience' in other settings such as hospitals and residential care. This review only identified three studies undertaking outreach activities (e.g. Hazzan et al., 2016; Malin, 2011; Ullan et al., 2013). Consequently there is great potential for transformative care practice.

Implications for further research

Few included studies reported any detail about ethnicity and socio-economic status. Consequently there is a question over the extent to which the conceptual model reflects the experiences of different ethnic and social groups. Despite the potential of galleries and museums, they can appear exclusive, attracting those with prior arts engagement (e.g. Burnside et al., 2015) and disproportionately drawing people from a higher socio-economic position (Mathews et al., 2016). Recognising the growing global interest in the social inclusion of people living with dementia (Lin & Lewis, 2015) further research should make efforts to recruit participants from diverse backgrounds. It is also worth considering that different types of dementias may lead to different preferences and outcomes, which may be worthy of further investigation.

There was limited evidence for the impact of taking part on cognitive outcomes, particularly at more severe levels of dementia. Three studies explored this aspect (Young et al., 2015; Eeklaar et al., 2012; Ullan et al., 2012) but can only provide some tentative suggestions. The theoretical model suggests the art activity is cognitively stimulating, consequently further research could assess of cognitive function. A further limitation relates to the extent to which the outcomes may be uniquely attributed to the art activity, and further research could usefully examine this through a control-comparison condition.

Conclusion

By synthesising research on visual arts in dementia care, academic theory and the lived experience of stakeholders, our exploration substantively contributes to understanding how and why visual arts programmes are suggested to achieve outcomes. This framework also has the potential for application with other arts activities. As further research critically explores, challenges and tests this conceptual model, theoretical refinements will improve research and practice. This could strengthen the evidence base for the arts in dementia care, and subsequently provide a stronger platform to inform policy.

Declaration of conflicting interests

The author(s) declared no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.

Description of authors' roles

GW led the main study and was responsible for the analysis, drafting this manuscript and secured funding (with DO'B AN as co-applicants). GW and SG designed the stakeholder experiences project, SG designed and collected the data from this project and co-authored the qualitative analysis, undertook the search strategy, retrieved the papers and contributed comments to this manuscript. TH co-authored the qualitative analysis, searched for grey literature and contributed comments to the

manuscript. AN, DO'B and AG contributed to the preliminary programme theory, reviewing papers, data extraction and contributed comments to the manuscript.

Funding

The author(s) disclosed receipt of the following financial support for the research, authorship, and/or publication of this article: Dementia and Imagination was funded as 'Dementia and imagination: connecting communities and developing well-being through socially engaged visual arts practice', Grant Ref: AH/K00333X/1, by the AHRC and ESRC as a part of the Cross-Council Connected Communities Programme. (Principal Investigator G. Windle; Co-Investigators A. Newman, C. Parkinson, V. Burholt, M. Baber, V. Tischler, B. Hounsborne, D. O'Brien, B. Woods, R. T. Edwards). Many thanks to B. Hounsborne for his role as co-investigator in the first year.

Regional and national collaborating partners in Dementia and Imagination: Age Watch, Alzheimer's Society, the Arts Council of Wales, Denbighshire County Council, Engage Cymru, Derbyshire Community Health Service NHS, Equal Arts, the BALTIC Centre for Contemporary Art, Tyne & Wear Archives and Museums and Nottingham Contemporary Ltd.

References

- *Refers to papers included within the review.
- Aguirre, E., Spector, A., Streater, A., Hoe, J., Woods, B. & Orrell, M. (2011). *Making a Difference 2*. Hawker Publications: UK.
- *Adams, M. and Cotter, M. (2011). *The impact of the development of museum programmes for people affected by AD or dementia*. Retrieved from the Museum of Modern Art website: https://www.moma.org/momaorg/shared/pdfs/docs/meetme/Resources_AudienceFocus_Evaluation.pdf
- Astbury, B. & Leeuw, F.L. (2010). Unpacking black boxes: mechanisms and theory building in evaluation. *American Journal of Evaluation*, 31(3):363–81
- Basting, A., Towey, M. & Rose, E. (2016). *The Penelope Project. An Arts-Based Odyssey to Change Elder Care*. USA: University of Iowa Press.
- Braun, V. & Clarke, V. (2006). Using thematic analysis in psychology. *Qualitative Research in Psychology*, 3 (2), 77–101.
- *Brownell, C. A. (2008). An intergenerational art program as a means to decrease passive behaviors in patients with dementia. *American Journal of Recreation Therapy*, 7(3), 5–12.
- *Burnside, L.D., Knecht, M. J., Hopley, E. K., & Logsdon, R. G. (2015). Here:now – Conceptual model of the impact of an experiential arts program on persons with dementia and their care partners. *Dementia*, Mar 19. pii: 1471301215577220. [Epub ahead of print]
- *Byrne, L. & MacKinlay, E. (2012). Seeking meaning: Making art and the experience of spirituality in dementia care. *Journal of Religion, Spirituality & Aging*, 24(1–2), 105–119.
- *Camic, P., Tischler, V. & Pearman, C. H. (2013). Viewing and making art together: a multi-session art gallery based intervention for people with dementia and their carers. *Aging & Mental Health*. Epub ahead of print, Jul 22, 2013 doi: 10.1080/13607863.2013.818101. Epub 2013 Jul 22.
- *Camic, P., Baker, E. & Tischler, V. (2015). Theorising how art gallery interventions impact on people with dementia and their caregivers. *The Gerontologist*, 56 (6), 1033–1041. doi.org/10.1093/geront/gnv063.
- de Medeiros, K. & Basting, A. (2013). "Shall I Compare Thee to a Dose of Donepezil?" Cultural arts interventions in dementia care research. *The Gerontologist*, 54 (3), 344–353. DOI: 10.1093/geront/gnt055
- *Eekelaar, C., Camic, P. M., & Springham, N. (2012). Art galleries, episodic memory and verbal fluency in dementia: An exploratory study. *Psychology of Aesthetics, Creativity, and the Arts*, 6(3), 262–272
- *Flatt, J. D., Liptak, A., Oakley, M. A., Gogan, J., Varner, T., & Lingler, J. H. (2014). Subjective experiences of an art museum engagement activity for persons with early-stage Alzheimer's disease

- and their family caregivers. *American Journal of Alzheimer's Disease and Other Dementias*. Advanced online publication. Doi: 10.1177/1533317514549953
- *Gould, V. F. (2013). *Reawakening the mind: Evaluation of arts 4 Dementia's London arts challenge in 2012: Arts interventions to re-energise and inspire people in the early stages of dementia and their carers*. Retrieved from the Arts4 Dementia website: <https://www.arts4dementia.org.uk/reawaken-ing-the-mind-report>
- *Gregory, S. & Windle, G. (2013). Lost in Art Too. Challenging Perceptions of Dementia. *Journal of Dementia Care*, 21(5); 23–25.
- *Gross, S. M., Danilova, D., Vandehey, M. & George M. Diekhoff. (2013). Creativity and dementia: Does artistic activity affect well-being beyond the art class? *Dementia*, 1471301213488899, first published on May 22, 2013
- *Hazzan, A. A., Humphrey, J., Kilgour-Walsh, L., Moros, K. L., Murray, C., Stanners, S.,... Papaioannou, A. (2016). Impact of the “Artful Moments” Intervention on Persons with Dementia and Their Care Partners: a Pilot Study. *Canadian Geriatrics Journal*, 19(2), 1–8. <http://doi.org/10.5770/cgj.19.220>
- Hoffmann, T.C., Glasziou, P.P., Boutron, I., Milne, R., Perera, R., Moher, D.,... Michie, S. (2014). Better reporting of interventions: template for intervention description and replication (TIDieR) checklist and guide. *British Medical Journal*, Mar 7;348:g1687. doi: 10. 1136/bmj. g1687.
- *Johnson, J., Culverwell, A., Hulbert, S., Robertson, M., & Camic, P. (2015). Museum activities in dementia care: Using a visual analogue scale to measure subjective well-being. *Dementia*. first published online: October 13, 2015 DOI: <https://doi.org/10.1177/1471301215611763>
- *Kinney, J. M., & Rentz, C. A. (2005). Observed well-being among individuals with dementia: Memories in the making©, an art program, versus other structured activity. *American Journal of Alzheimer's Disease and Other Dementias*, 20(4), 220–227.
- Kitwood, T. M. (1997). *Dementia reconsidered: the person comes first*. England: Open University Press.
- Lin, S-Y. & Lewis, F. M. (2015). Dementia friendly, dementia capable and dementia positive: Concepts to prepare for the future. *The Gerontologist*, 55 (2), 237–244. doi:10.1093/geront/gnu122
- *MacPherson, S., Bird, M., Anderson, K., Davis, T., & Blair, A. (2009). An art gallery access programme for people with dementia: 'you do it for the moment'. *Aging & Mental Health*, 13(5), 744–752.
- *Malin, E. (2011). *Engage in cymru: Galleries engaging with older people: The quality of silence. Galleries engaging with older people: Phase 2, focus on dementia - evaluation report*. Engage Cymru.
- *Mangione, G. (2013). Access to what? Alzheimer's disease and aesthetic sense making in the contemporary art museum. *Poetics*, 41, 27–47.
- Mathews, P., Xu, D., Matusiak, M. & Prior, G. (2016). Taking Part. Findings from the longitudinal survey waves 1 to 3. Retrieved from: https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/519629/Taking_Part_Year_10_longitudinal_report_FINAL.pdf
- Medical Research Council. (2006). *Developing and evaluating complex interventions: new guidance*. Retrieved from: <https://www.mrc.ac.uk/documents/pdf/complex-interventions-guidance/>
- Mental Health Foundation. (2011). *An evidence review of the impact of participatory arts on older people*. Retrieved from <http://www.baringfoundation.org.uk/EvidenceReview.pdf>
- *Mittleman, M. & Epstein, C. (2009). *NYU Aging and Dementia Research Center Evaluation of Meet Me at MoMA*. Retrieved from the website of the Museum of Modern Art: <https://www.moma.org/meetme/resources/index#history>
- Parkinson, C., Windle, G., & Taylor, K. (2017). *Research informed approaches to visual arts programmes*. Retrieved from: <http://www.artsforhealth.org/resources/dementia-and-imagination.pdf>
- Pawson, R., Greenhalgh, T., Harvey, G. & Walsh, K. (2004). *Realist Synthesis: An Introduction*. London: ESRC Research Methods Programme.
- Pearson, M., Brand, S. L., Quinn, C., Shaw, J., Maguire, M., Michie, S.,... Byng, R. (2015). Using realist review to inform intervention development: methodological illustration and conceptual

- platform for collaborative care in offender mental health. *Implementation Science: IS*, 10, 134. <http://doi.org/10.1186/s13012-015-0321-2>
- *Rentz, C. A. (2002). Memories in the making©: Outcome-based evaluation of an art program for individuals with dementing illnesses. *American Journal of Alzheimer's Disease & Other Dementias*, 17(3), 175–181.
- *Roe, B., McCormick, S., Lucas, T., Gallagher, W., Win, A., & Elkin, S. (2014). Coffee, cake & culture: Evaluation of an art for health programme for older people in the community. *Dementia*. Advanced online publication. Doi: 10.1177/1471301214528927.
- Rycroft-Malone, J., McCormack, B., Hutchinson, A.M., DeCorby, K., Bucknall, T.K., Kent, B... . Walin L. (2012). Realist synthesis: illustrating the method for implementation research. *Implementation Science*, 7:33 doi:10.1186/1748- 5908-7-33.
- Salisbury, K., Algar, K. & Windle, G. (2011). Do we know enough about the potential of art programmes to improve the quality of life and well-being of people with dementia? *Journal of Dementia Care*, 19(3), 33–37.
- *Sauer, P. E., Fopma-Loy, J., Kinney, J., & Lokon, E. (2014). “It makes me feel like myself”: Person-centred versus traditional visual activities for people with dementia. *Dementia*. Published online first. DOI: 10.1177/1471301214543958
- *Ullán, A. M., Belver, M. H., Badía, M., Moreno, C., Garrido, E., Gómez-Isla, J.,... . Tejedor, L. (2013). Contributions of an artistic educational program for older people with early dementia: An exploratory qualitative study. *Dementia*, 12(4), 1–22. doi:10.1177/1471301211430650
- Windle, G. (2011). What is resilience? A review and concept analysis. *Reviews in Clinical Gerontology*, 21 (2), 151–169.
- Windle, G., Gregory, S., Newman, A., Goulding, A., O'Brien, D. and Parkinson, C. (2014). Understanding the impact of visual arts interventions for people living with dementia: a realist review protocol. *BMC Systematic Reviews*, 3(91). doi: 10.1186/2046-4053-3-91.
- Wong, G., Westhorp G, Pawson R, Greenhalgh T. (2013). Realist synthesis. RAMESSES training materials. Retrieved from: http://www.ramesesproject.org/media/Realist_reviews_training_materials.pdf
- *Young, R., Camic, P. M. & Tischler, V. (2015). The impact of community-based arts and health interventions on cognition in people with dementia: A systematic literature review. *Ageing & Mental Health*. Advance access: <http://dx.doi.org/10.1080/13607863.2015.1011080>
- *Young, R., Tischler, V., Hulbert, S., & Camic, P. M. (2015). The impact of viewing and making art on verbal fluency and memory in people with dementia in an art gallery setting. *Psychology of Aesthetics, Creativity, and the Arts*, 9 (4), 368–375.
- Zeilig, H., Killick, J. & Fox, C. (2014). The participative arts for people living with a dementia: a critical review. *International Journal of Ageing and Later Life*, 9 (1), 7–34.

Gill Windle is a social scientist working across disciplinary boundaries exploring health, well-being, resilience and creativity in later life. Her research combines arts, science and public engagement to examine how, and to what extent, older people can manage to ‘live well’ despite health problems and cognitive impairment. She is acting director of Dementia Services Development Centre, Bangor University, has led research funded by the MRC, ESRC and AHRC and is currently co-director of the Wellcome Trust Innovation Hub, ‘Created out of Mind’.

Samantha Gregory is a psychologist specialising in social cognition. Her research focusses of memory, specifically the ways in which memory can be enhanced or impeded by contextual factors. She recently obtained her PhD at the University of Aberdeen, where she investigated the influence of social cues on memory and attention. She is currently working at

Aston University on a project funded by the Leverhulme Trust investigating student memory of written feedback.

Teri Howson-Griffiths is a Lecturer in Drama at Liverpool John Moores University. Prior to this, she spent three years in the Dementia Services Development Centre, Wales, as part of the Dementia and Imagination research team. Her research interests include immersive and one-to-one performance particularly from a therapeutic or applied approach, alongside arts, health, and well-being. Her work across both social science and the arts has involved qualitative research methods and fostering opportunities for public engagement within research.

Andrew Newman is a cultural gerontologist whose research applies the arts, both in terms of subject and methodologies, to current questions in gerontology. His work responds to the challenges faced by ageing populations in areas such as loneliness, life transitions, poor health and negative societal meta-narratives. He has been involved in a number research projects funded by the UK's AHRC, ESRC, and MRC.

Dave O'Brien is Chancellor's Fellow in Cultural and Creative Industries at the University of Edinburgh. He is the author of *Cultural Policy: Management, Value and Modernity in the Creative Industries* (Routledge, 2014) and the co-editor of *The Routledge Companion to Global Cultural Policy* (Routledge, 2017), *After Urban Regeneration* (Policy Press, 2016) and *Critical Concepts in Media and Cultural Studies: Cultural Policy* (Routledge, 2017). He is currently working on an AHRC funded project about inequality and work in the cultural and creative industries.

Anna Goulding is a research associate at the Institute of Health and Society, University of Newcastle. Prior to this she was a Research Fellow and the Manchester Institute for Collaborative Research on Ageing, University of Manchester, where she investigated co-production as a method as a way of reducing social isolation. She uses qualitative interviews to explore the relationship between cultural participation and wellbeing, examining the psychosocial barriers to access and the processes and outcomes of engagement.